


PDS No. 65580x	PRODUCT DATA SHEET				Page 1 of 1	
Revision 06	96 Well Microplate, UV-Star®, Chimney Well				 greiner bio-one	
	Greiner Item-No. 65580x					
Valid for Item-No.:	655801	655809				

1.	Description / Specification	
1.1	Description	UV-Star [®] Microplate, 96 well, clear film F-bottom (flat), alphanumeric well coding, chimney well
1.2	Dimensions	See customer drawing Foil: 135 µm (± 10 µm)
1.3	Volume	Total volume: 392 µl (mathematically calculated) Working volume: 25 - 340 µl
1.4	Material / Resin	Plate and foil: Cycloolefine, free of heavy metal
1.5	Colour	655801: plate; clear 655809: plate; black
1.6	Sterilisation	No
1.7	Quality Control	- Raw Material-Control: physical testing - Product-Control: testing of attributive and variable characteristics in accordance with the valid specification
1.8	Other Information	For single use only

2.	Features	
2.1	Basic features	Free of detectable DNase/RNase, human DNA and pyrogens
2.2	Temperature range	-20°C to +40°C
2.3	Autoclavability	No
2.4	Centrifugation, max. RCF	4800 x g: swinging-bucket rotor
2.5	Chemical Resistance	See homepage: https://www.gbo.com/en_INT/know-how-services/download-center.html
2.6	Shelf life	N/A
2.7	Other Information	-

3.	Packaging	
3.1	Pieces / Bag	10
3.2	Pieces / Box	40
3.3	Lot-No.	E YY MM XXX (manufacturing facility, year, month, consecutive SAP-No.)
3.4	Other Information	Certificate of Quality

4.	Other Information	
	-	

Data Sheet subject to change without notice!

Prior Issue	Drawn	Approved	Released	CONFIDENTIAL: Information contained in this document or drawing is confidential and proprietary to Greiner Bio-One GmbH. This document may not be reproduced for any reason without written permission from Greiner Bio-One GmbH. All rights of design, invention, and copyright are reserved.
Revision 05	Date 1 December 2014	Date 2 December 2014	Date 2 December 2014	
Date 13.12.2011	Name S. Kaelberer	Name Dr. R. Heller	Name A. Schulz	

DISCLAIMER: The description of a certain product can only be considered as a guidance, because its performance ultimately depends on what the product is used for. Very often performance studies are indispensable.